

6m Manual Crank Up Telescopic Mast-40kg payloads
Item #: NR-M1700-6000



6m Manual Crank Up Telescopic Mast-1.7m retracted-40kg payloads

Part #: NR-M1700-6000

6m manual operation telescopic mast

40kg vertical top loads,

aluminum materials

ground mounting or vehicle side mounting


3 guying rope kits supplied

application for mobile antenna, portable telecommunication antenna, mobile CCTV solutions

6m Aluminum Manual Crank Up Telescopic Mast-40kg Payloads

1>	Item #:	NR-M1700-6000
2>	Extended Height:	6m
3>	Retracted Height:	1.7m
4>	Maximum Payloads:	40kg
5>	Type:	Manual Crank Up, Anti-rotation
6>	Number of Sections:	5
7>	Section's diameter:	76mm~132mm
8>	Materials:	Aluminum Alloy 6063T6
9>	Color:	Anodizing "Olive Green"
10>	Working Temperature:	-25~55 Degrees Celsius
11>	Mast Weight:	35kg
12>	Wind Loads:	60km/h with guying ropes
13>	Default accessories:	1x top flange
		1x bottom flange
		Guying Rope Kits with Mounting Spikes 1 layer x 3 directions
14>	Optional Accessories:	Ground Mounting Tripods
		moving wheels kit for tripod
		Vehicle Side Mounting Bracket (upper mounting)
		Bottom support bracket

Data update on 7th Jan. 2023





6m aluminum crank up mast
1.7m closed height
40kg payloads



6m aluminum crank up mast
1.7m closed height
40kg payloads



6m aluminum crank up mast
1.7m closed height
40kg payloads



ground mounting tripod with
moving wheels kit



6m aluminum crank up mast
1.7m closed height
40kg payloads



6m aluminum crank up mast
1.7m closed height
40kg payloads